

Articles in Journals

1. Sabbioni, G., Ambs, S., Wogan, G. N. and Groopman, J. D.: The aflatoxin-lysine adduct quantified by high performance liquid chromatography from human serum albumin samples. Carcinogenesis, 11: 2063-2066, 1990.
2. Felley-Bosco, E., Ambs, S., Lowenstein, C. J., Keefer, L. K. and Harris, C. C.: Constitutive expression of inducible nitric oxide synthase in human bronchial epithelial cells induces c-fos and stimulates the cGMP pathway. Am J Respir Cell Mol Biol., 11: 159-164, 1994.
3. Neumann, H. G., Ambs, S. and Bitsch, A.: The role of nongenotoxic mechanisms in arylamine carcinogenesis. Environ Health Perspect., 6: 173-176, 1994.
4. Felley-Bosco, E., Mirkovitch, J., Ambs, S., Mace, K., Pfeifer, A., Keefer, L. K. and Harris, C. C.: Nitric oxide and ethylnitrosourea: relative mutagenicity in the p53 tumor suppressor and hypoxanthine-phosphoribosyltransferase genes. Carcinogenesis, 16: 2069-2074, 1995.
5. Tas, P., Ambs, S., Stopper, H., Koschel, K., and Schiffmann, D.: Role of extracellular calcium and calcium stores in the intracellular calcium rise induced by diethylstilboestrol in C6 rat glioma cells. Toxicol. in Vitro, 9, 117-121, 1995.
6. Forrester, K., Ambs, S., Lupold, S. E., Kapust, R. B., Spillare, E. A., Weinberg, W. C., Felley-Bosco, E., Wang, X. W., Geller, D. A., Tzeng, E., Billiar, T. R. and Harris, C. C.: Nitric oxide-induced p53 accumulation and regulation of inducible nitric oxide synthase expression by wild-type p53. Proc Natl Acad Sci USA, 93: 2442-2447, 1996.
7. Ambs, S., and Neumann, H.-G.: Acute and chronic toxicity of aromatic amines studied in the isolated perfused rat liver. Toxicol. Applied Pharmacol., 139: 186-194, 1996.
8. Ambs, S., Hussain, S. P. and Harris, C. C.: Interactive effects of nitric oxide and the p53 tumor suppressor gene in carcinogenesis and tumor progression. FASEB J., 11: 443-448, 1997.
9. Kane, J. M., Shears, L. L., Hierholzer, C., Ambs, S., Billiar, T. and Posner, M. C.: Chronic hepatitis C virus infection in humans - induction of hepatic nitric oxide synthase and proposed mechanisms for carcinogenesis. J. Surg. Res., 69: 321-324, 1997.
10. Ambs, S., Merriam, W. G., Bennett, W. P., Ogunfusika, M. O., Oser, S. M., Klein, S., Felley-Bosco, E., Billiar, T. R. and Harris, C. C.: Frequent nitric oxide synthase-2 expression in human colon adenomas: Implication for tumor angiogenesis colon cancer progression. Cancer Res., 58: 334-341, 1998.

11. Ambs, S., Bennett, W. P., Merriam, W. G., Ogunfusika, M. O., Oser, S. M., Khan, M. A., Jones, R. T. and Harris, C. C.: Vascular endothelial growth factor and nitric oxide synthase expression in human lung cancer and the relation to p53. Br. J. Cancer, 78: 233-239, 1998.
12. Ambs, S., Ogunfusika, M. O., Merriam, W. G., Bennett, W. P., Billiar, T. R. and Harris, C.C.: Upregulation of NOS2 expression in cancer-prone p53 knockout mice. Proc. Natl. Acad. Sci USA, 95: 8823-8828, 1998.
13. Ambs, S., Merriam, W. G., Ogunfusika, M. O., Bennett, W. P., Ishibe, N., Tzeng, E., Geller, D. A., Billiar, T. R. and Harris, C. C.: p53 and vascular endothelial growth factor regulate tumour growth of NOS2-expressing human carcinoma cells. Nature Med., 4: 1371-1376, 1998.
14. Ambs, S., Bennett, W. P., Merriam, W. G., Ogunfusika, M. O., Oser, S. M., Harrington, A. M., Shields, P. G., Felley-Bosco, E., Hussain, S. P. and Harris, C. C.: Characteristic p53 mutations correlate with inducible nitric oxide synthase expression in human colorectal cancer. J. Natl. Cancer Inst., 91: 86-88, 1999.
15. Ambs, S. and Harris, C. C.: Response: Re: Relationship between p53 mutations and inducible nitric oxide synthase expression in human colorectal cancer. J. Natl. Cancer Inst., 91: 1510-1511, 1999.
16. Ambs, S., Dennis, S., Fairman, J., Wright, M. and Papkoff, J.: Inhibition of tumor growth correlates with the expression level of a human angiostatin transgene in transfected B16F10 melanoma cells. Cancer Res., 59: 5773-5777, 1999.
17. Ambs, S., Hussain, S. P., Marrogi, A. J. and Harris, C. C.: Cancer-prone oxyradical overload disease. IARC Sci. Publ., 150: 295-302, 1999.
18. Hussain, S. P., Amstad, P., Raja, K., Ambs, S., Nagashima, M., Bennett, W. P., Shields, P. G., Ham, A. J., Swenberg, J. A., Marogi, A. J. and Harris, C. C.: Increased p53 mutation load in noncancerous colon tissue from ulcerative colitis: a cancer-prone chronic inflammatory disease. Cancer Res., 60: 3333-3337, 2000.
19. Goodman, J.E., Mechanic, L.E., Luke, B.T., Ambs, S., Chanock, S., and Harris, C.C.: Exploring SNP-SNP interactions and colon cancer risk using polymorphism interaction analysis. Int. J. Cancer, 118: 1790-1797, 2006.
20. Volinia, S., Calin, G.A., Liu, C.-G., Ambs, S., Cimmino, A., Petrocca, F., Visone, R., Iorio, M., Roldo, C., Ferracin, M., Prueitt, R.L., Yanaihara, N., Lanza, G., Scarpa, A., Vecchione, A., Negrini, M., Harris, C.C., and Croce, C.M.: A microRNA expression signature of human

- solid tumors defines cancer gene targets. Proc. Natl. Acad. Sci USA, 103: 2257-2261, 2006.
21. Boersma, B.J., Howe, T.M., Goodman, J.E., Yfantis, H.G., Lee, D.H., Chanock, S.J., and Ambs, S.: Association of breast cancer outcome with status of p53 and MDM2 SNP309. J. Natl. Cancer Inst., 98: 911-919, 2006.
 22. Thomas, D.D., Ridnour, L.A., Espey, M.G., Donzelli, S., Ambs, S., Hussain, S.P., Harris, C.C., DeGraff, W., Roberts, D.D., Mitchell, J.B., and Wink, D.A.: Superoxide fluxes limit nitric oxide-induced signaling. J. Biol. Chemistry, 281: 25984-25993, 2006.
 23. Martin, D.A., Boersma, B.J., Howe, T.M., Goodman, J.E., Mechanic, L.E., Chanock, S.J., and Ambs, S. Association of MTHFR gene polymorphisms with breast cancer survival. BMC Cancer, 6: 257, 2006.
 24. Prueitt, R.L., Boersma, B.J., Howe, T.M., Goodman, J.E., Thomas, D.D., Ying, L., Pfiester, C.M., Yfantis, H.G., Cottrell, J.R., Lee, D.H., Remaley, A.L., Hofseth, L.J., Wink, D.A., and Ambs, S. Inflammation and IGF-I activate the Akt pathway in breast cancer. Int. J. Cancer, 120: 796-805, 2006.
 25. Bernig, T., Boersma, B.J., Howe, T.M., Welch, R., Yadavalli, S., Staats, B., Mechanic, L.E., Chanock, S.J., and Ambs, S. The Mannose-binding lectin (*MBL2*) haplotype and breast cancer: an association study in African American and Caucasian women. Carcinogenesis, 28: 828-836, 2007.
 26. Pine, S.R., Mechanic, L.E., Ambs, S., Bowman, E.D., Chanock, S.J., Loffredo, C., Shields, P.G., and Harris, C.C. Association of lung cancer outcome with functional polymorphisms in mannose-binding lectin 2, an innate immunity gene. J. Natl. Cancer Inst., 99: 1401-1409, 2007.
 27. Crawford, N.P.S., Qian, X., Ziogas, A., Papageorge, A.G., Boersma, B.J., Walker, R.C., Lukes, L., Rowe, W.H., Zhang, J., Ambs, S., Lowy, D.R., Anton-Culver, H., and Hunter, K.W. *Rrp1b*, a new candidate susceptibility gene for breast cancer progression and metastasis. PLoS Genetics, 3: e214, 2007.
 28. Boersma, B.J., Reimers, M., Yi, M., Ludwig, J.A., Luke, B.T., Stephens, R.M., Yfantis, H.G., Lee, D.H., Weinstein, J.N., and Ambs, S. A stromal gene signature associated with inflammatory breast cancer. Int. J. Cancer, 122: 1324-1332, 2008.
 29. Wallace, T.A., Prueitt, R.L., Yi, M., Howe, T.M., Gillespie, J.W., Yfantis, H.G., Stephens, R.M., Caporaso, N.E., Loffredo, C.A., and Ambs, S. Tumor immunobiological differences in prostate cancer between African-American and European-American men. Cancer Res., 68: 927-936, 2008.

30. Prueitt, R.L., Yi, M., Hudson, R.S., Wallace, T.A., Howe, T.M., Yfantis, H.G., Stephens, R.M., Liu, C.-G., Calin, G.A., Croce, C.M., and Ambs, S. MicroRNA and mRNA expression profiles associated with perineural invasion in prostate cancer. The Prostate, 68, 1152-1164, 2008.
31. Thomas, D.D., Ridnour, L.A., Isenberg J.S., Flores-Santana, W., Switzer C.H., Donzellie S., Hussain, S.P., Vecoli C., Paolucci N., Ambs S., Colton C., Harris C.C., Roberts, D.D., and Wink, D.A.: The chemical biology of nitric oxide: Implications in cellular signaling. Free Radic. Biol. Med., 45, 18-31, 2008.
32. Ambs, S., Marincola, F.M., and Thurin, M. Meeting Report: Profiling of immune response to guide cancer diagnosis, prognosis, and prediction to therapy. Cancer Res., 68: 4031-4033, 2008.
33. Ridnour, L.A., Thomas, D.D., Switzer, C.H., Flores-Santana, W., Isenberg, J.S., Ambs, S., Roberts, D.D., and Wink, D.A. Molecular mechanisms for discrete nitric oxide levels in cancer. Nitric Oxide, 19: 73-76, 2008.
34. Ambs, S., Prueitt, R.L., Yi, M., Hudson, R.S., Howe, T.M., Petrocca, F., Wallace, T.A., Liu, C.-G., Volinia S., Calin, G.A., Yfantis, H.G., Stephens, R.M., and Croce, C.M. Genomic profiling of microRNA and mRNA reveals deregulated microRNA expression in prostate cancer. Cancer Res., 68: 6162-6170, 2008.
35. Martin, D.N., Boersma, B.J., Yi, M., Reimers, M., Howe, T.M., Yfantis, H.G., Tsai, Y.C., Williams, E.H., Lee, D.H., Stephens, R.M., Weissman, A.M, and Ambs S. Differences in the tumor microenvironment between African-American and European-American breast cancer patients. PLoS One, 4: e4531, 2009.
36. Glynn, S.A., Boersma, B.J., Howe, T.M., Edvardsen, H., Geisler, S.B., Goodman, J.E., Ridnour, L.A., Lønning, P.E., Børresen-Dale, A.-L., Naume, B., Kristensen, V.N., Chanock, S.J., Wink, D.A., and Ambs, S. A mitochondrial target sequence polymorphism in the MnSOD gene predicts poor response and inferior survival in breast cancer patients treated with cyclophosphamide. Clin. Cancer Res., 15: 4165-4173, 2009.
37. Tahara H., Sato M., Thurin M., Wang E., Butterfield L.H., Disis M.L., Fox B.A., Lee P.P., Khleif S.N., Wigginton J.M., Ambs S., Akutsu Y., Chaussabel D., Doki Y., Eremin O., Fridman W.H., Hirohashi Y., Imai K., Jacobson J., Jinushi M., Kanamoto A., Kashani-Sabet M., Kato K., Kawakami Y., Kirkwood J.M., Kleen T.O., Lehmann P.V., Liotta L., Lotze M.T., Maio M., Malyguine A., Masucci G., Matsubara H., Mayrand-Chung S., Nakamura K., Nishikawa H., Palucka A.K., Petricoin E.F., Pos Z., Ribas A., Rivoltini L., Sato N., Shiku H., Slingluff C.A., Streicher H., Stroncek D.F., Takeuchi H., Toyota M., Wada H., Wu X., Wulfkühle J., Yaguchi T., Zeskind B., Zhao Y., Zocca M.B., and Marincola F.M. Emerging

- concepts in biomarker discovery; The US-Japan Workshop on immunological molecular markers in oncology. J Transl. Med., 17:45, 2009.
38. Ji J., Shi J., Budhu A., Yu Z., Forgues M., Roessler S., Ambs S., Chen Y., Meltzer P., Croce C., Qin L.-X., Man K., Lo C.-M., Lee J., Ng I., Tang Z.-Y., Sun H.-C., and Wang, X. W. MicroRNA expression, survival, and response to interferon in liver cancer. New Engl. J. Med., 361: 1437-1447, 2009.
 39. Jones, P.E., Ying, L., Hofseth, A.B., Jelezcova, E., Sobol, R.W., Ambs S., Harris, C.C., Espey, M.G., Hofseth L.J., and Wyatt, M.D. Differential effects of reactive nitrogen species on DNA base excision repair initiated by the alkyladenine DNA glycosylase. Carcinogenesis, 30: 2123-29, 2009.
 40. Volinia, S., Galasso, M., Tagliavini, L., Gamberoni, G., Drusco, A., Marchesini, J., Mascellani, N., Elena Sana, M., Abu Jarour, R., et al. Reprogramming of miRNA networks in cancer and leukemia. Genome Res., 20: 589-99, 2010.
 41. Fu, Y.-P., Edvardsen, H., Kaushiva, A., Arhancet, J.P., Howe, T.M., Kohaar, I., Porter-Gill, P., Shah, A., Landmark-Høyvik, H., Fosså, S.D., Ambs, S., Naume, B., Børresen-Dale, A.-L., Nedelcheva Kristensen, V., and Prokunina-Olsson, L.. NOTCH2 in breast cancer: association of SNP rs11249433 with gene expression in ER-positive breast tumors without TP53 mutations. Mol. Cancer, 9: 113, 2010.
 42. Ambs, S. Prognostic Significance of Subtype Classification for Short- and Long-Term Survival in Breast Cancer: Survival Time Holds the Key. PloS Medicine, 7: e1000281, 2010.
 43. Glynn, S.A., Boersma, B.J., Dorsey, T.H., Yi, M., Yfantis, H.G., Ridnour, L.A., Martin, D.A., Switzer, C.H., Hudson, R.S., Wink, D.A., Lee, D.H., Stephens, R.M., and Ambs S. Increased NOS2 predicts poor survival in estrogen receptor-negative breast cancer patients. J. Clin. Invest. 120: 3843-54, 2010.
 44. Glynn, S.A., Prueitt, R.L., Ridnour, L.A., Boersma, B.J., Howe, T.M., Wink, D.A., Goodman, J.E., Yfantis, H.G., Lee, D.H., and Ambs, S. COX-2 activation is associated with Akt phosphorylation and poor survival in ER-negative, HER2-positive breast cancer. BMC Cancer, 10: 626, 2010.
 45. Ambs, S., and Glynn, S.A. Candidate pathways linking inducible nitric oxide synthase to a basal-like transcription pattern and tumor progression in human breast cancer. Cell Cycle, 10: 619-624, 2011.
 46. Wallace, T.A., Martin, D.N., and Ambs, S. Interactions among genes, tumor biology and the environment in cancer health disparities: examining the evidence on a national and global scale. Carcinogenesis, 32: 1107-1121, 2011.

47. Meyer, K.B., Maia, A.-T., O'Reilly, M., Ghousaini, M., Prathalingam, R., Porter-Gill, P., Ambs, S., Prokunina-Olsson, L., Carroll, J., and Ponder, B.A. A functional variant at a prostate cancer predisposition locus at 8q24 regulates PVT1 expression. *PLoS Genetics*, 7: e1002165, 2011.
48. Mackiewicz, M., Huppi, K., Pitt, J.J., Cornelison, R., Dorsey, T.H., Ambs, S., and Caplen, N.J. Identification of the receptor tyrosine kinase AXL in breast cancer as a target for human miR-34a microRNA. *Breast Cancer Res. Treat.*, 130: 663-679, 2011.
49. Switzer, C.H., Glynn, S.A., Ridnour, L.A., Cheng, R.Y.-S., Vitek, M.P., Ambs, S., and Wink, D.A. Nitric oxide and protein phosphate 2A provide novel therapeutic opportunities in ER-negative breast cancer. *Trends Pharmacol. Sci.*, 32: 644-651, 2011.
50. Zhao, J., Rycaj, K., Geng, S., Li, M., Plummer, J.B., Yin, B., Liu, H., Xu, X., Zhang, Y., Yan, Y., Glynn, S.A., Dorsey, T.H., Ambs, S., Johanning, G.L., Gu, L., and Wang-Johanning, F. Expression of human endogenous retrovirus type K envelope protein is a novel candidate prognostic marker for human breast cancer. *Genes & Cancer*, 2: 914-922, 2011.
51. Wang-Johanning, F., Rycaj, K., Plummer, J.B., Li, M., Yin, B., Frerich, K., Garza, J.G., Shen, J.J., Lin, K., Yan, P., Glynn, S.A., Dorsey, T.H., Hunt, K.K., Ambs, S., and Johanning, G.L. Immunotherapeutic potential of anti-human endogenous retrovirus-K envelope protein antibodies in targeting breast tumors. *J. Natl. Cancer Inst.*, 104: 189-210, 2012.
52. Hudson, R.S., Yi, M., Esposito, D., Watkins S.K., Hurwitz, A.A., Yfantis, H.G., Lee, D.H., Borin, J.F., Naslund, M.J., Alexander, R.B., Stephens, R.M., Croce, C.M., and Ambs, S. MicroRNA-1 is a candidate tumor suppressor and prognostic marker in human prostate cancer. *Nucleic Acids Res.*, 40: 3689-3703, 2012.
53. Zheng, Y., Ogundiran, T.O., Adebamowo, C., Nathanson, K.L., Domchek, S.M., Rebbeck, T.R., Simon, M.S., John, E.M., Hennis, A., Nemesure, B., Wu, S.Y., Leske, M.C., Ambs, S., Niu, Q., Zhang, J., Cox, N.J., Olopade, O.I., and Huo, D. Lack of association between common single nucleotide polymorphisms in the TERT-CLPTM1L locus and breast cancer in women of African ancestry. *Breast Cancer Res. Treat.*, 132: 341-345, 2012.
54. Hou, N., Zheng, Y., Gamazon, E.R., Ogundiran, T.O., Adebamowo, C., Nathanson, K.L., Domchek, S.M., Rebbeck, T.R., Simon, M.S., John, E.M., Hennis, A., Nemesure, B., Wu, S.-Y., Leske, C.M., Ambs, S., Niu, Q., Zhang, J., Pierce, B.L., Cox, N.J., Olopade, O.I., and Huo, D. Genetic susceptibility to type 2 diabetes and breast cancer risk in women of European and African ancestry. *Cancer Epidemiol. Biomarkers Prev.*, 21: 552-556, 2012.
55. Huo, D., Zheng, Y., Ogundiran, T.O., Adebamowo, C., Nathanson, K.L., Domchek, S.M., Rebbeck, T.R., Simon, M.S., John, E.M., Hennis, A., Nemesure, B., Wu, S.-Y., Leske, M.C.,

- Ambs, S., Niu, Q., Zhang, J., Cox, N.J., and Olopade, O.I. Evaluation of 19 susceptibility loci of breast cancer in women of African ancestry. Carcinogenesis, 33: 835-840, 2012.
56. Switzer, C.H., Cheng, R.Y., Ridnour, L.A., Murray, M.C., Tazzari, V., Sparatore, A., Del Soldato, P., Hines, H.B., Glynn, S.A., Ambs, S., and Wink, D.A. Dithiolethiones inhibit NF- κ B activity via covalent modification in human estrogen receptor-negative breast cancer. Cancer Res., 72: 2394-2404, 2012.
57. Wang, S., Dorsey, T.H., Terunuma, A., Kittles, R.A., Ambs, S., and Kwabi-Addo, B. Relationship between tumor DNA methylation status and patient characteristics in African-American and European-American women with breast cancer. PLoS One, 7: e37928, 2012.
58. Ryan, B.M., Calhoun, K.M., Pine, S.R., Bowman, E.D., Robles, A.I., Ambs, S., and Harris, C.C. MDM2 SNP285 does not antagonize the effect of SNP309 in lung cancer. Int. J. Cancer, 131: 2710-2716, 2012.
59. Switzer, C.H., Glynn, S.A., Cheng, R.Y.-S., Ridnour, L.A., Green, J.E., Ambs, S., and Wink, D.A. S-Nitrosylation of EGFR and Src activates an oncogenic signaling network in human basal-like breast cancer. Mol. Cancer Res., 10: 1203-1215, 2012.
60. Ridnour, L.A., Barasch, K.M., Windhausen, A.N., Dorsey, T.M., Lizardo, M.M., Yfantis, H.G., Lee, D.H., Switzer, C.H., Glynn, S.A., Cheng, R.Y.S., Khanna, C., Ambs, S., and Wink, D.A. Nitric Oxide Synthase and Breast Cancer: Role of TIMP-1 in NO-mediated Akt Activation. PLoS One, 7: e44081, 2012.
61. Ambs, S. Analysis of stromal gene expression for the identification of prognostic and predictive molecular markers in cancer therapy. Int. J. Cancer, 131: 2213-2214, 2012.
62. Switzer, C.H., Cheng, R. Y.-S., Ridnour, L.A., Glynn, S.A., Ambs, S., and Wink, D.A. Ets-1 is a transcriptional mediator of oncogenic nitric oxide signaling in estrogen receptor-negative breast cancer. Breast Cancer Res., 14: R125, 2012.
63. Hudson, R.S., Yi, M., Esposito, D., Glynn, S.A., Starks, A.M., Yang, Y., Schetter, A.J., Watkins, S.K., Hurwitz, A.A., Dorsey, T.H., Stephens, R.M., Croce, C.M., and Ambs, S. MicroRNA-106b-25 cluster expression is associated with early disease recurrence and targets caspase-7 and focal adhesion in human prostate cancer. Oncogene, 32: 4139-4147, 2013.
64. Chen, F., Chen G.K., Stram, D.O., Millikan, R.C., Ambrosone, C.B., John E.M., Bernstein, L., Zheng, W., Palmer, J.R., *et al.* A genome-wide association study of breast cancer in women of African ancestry. Hum. Genet., 132: 39-48, 2013.

65. Ridnour, L.A., Cheng, R.Y., Switzer, C.H., Heinecke, J.L., Ambs, S., Glynn, S.A., Young, H.A., Trinchieri, G., and Wink, D.A. Molecular Pathways: Toll-like receptors in the tumor microenvironment: poor prognosis or new therapeutic opportunity. Clin. Cancer Res., 19: 1340-1346, 2013.
66. Martin, D.N., Starks, A.M., and Ambs, S. Biological Determinants of Health Disparities in Prostate Cancer. Curr. Opin. Oncol., 25: 235-241, 2013.
67. Soliman, H., Rawal, B., Fulp, J., Lee, J.H., Lopez, A., Bui, M.M., Khalil, F., Antonia, S., Yfantis, H.G., Lee, D.H. Dorsey, T.H., and Ambs, S. Analysis of indoleamine 2-3 dioxygenase (IDO1) expression in breast cancer tissue by immunohistochemistry. Cancer Immunol. Immunother., 62: 829-37, 2013.
68. Hudson, R.S., Yi, M., Volfovsky, N., Prueitt, R.L., Esposito, D., Volinia, S., Liu, C.-G., Schetter, A.J., Van Roosbroeck, K., Stephens, R.M., Calin, G.A., Croce, C.M., and Ambs, S. Transcription signatures encoded by ultraconserved genomic regions in human prostate cancer. Mol. Cancer, 12: 13, 2013.
69. Starks, A.M., Martin, D.N., Dorsey, T.H., Boersma, B.J., Wallace, T.A., and Ambs, S. Household income is associated with the p53 mutation frequency in breast tumors. PLoS One, 8: e57361, 2013.
70. Zheng, Y., Ogundiran, T.O., Nathanson K.L., John, E.M., Hennis, A., Ambs, S., Domchek, S.M., Rebbeck, T.R., Simon, M.S., Nemesure, B., Wu, S-Y., Leske, M.C., Niu, Q., Zhang, J., Gamazon, E.R., Cox, N.J., Olopade, O.I., Huo, D. Fine-mapping of breast cancer genome-wide association studies loci in women of African ancestry identifies novel susceptibility markers. Carcinogenesis, 34: 1520-8, 2013.
71. Monda, K.L., Chen, G.K., Taylor, K.C., Palmer, C., Edwards, T.L., ...Ambs, S., ...Haiman, C.A. A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. Nat. Genet., 45: 690-6, 2013.
72. Wang-Johanning, F., Li, M., Esteva, F.J., Hess, K.R., Yin, B., Garza, J.G., Rycaj, K., Plummer, J.B., Garza, J.G., Ambs, S. and Johanning, G.L. Human endogenous retrovirus type K antibodies as a serum biomarker of early-stage breast cancer. Int. J. Cancer, 134:587-95, 2014.
73. Terunuma, A., Putluri, N., Mishra, P., Mathe, E.A., Dorsey, T.H., Yi, M., Wallace, T.A., Issaq H.J., Zhou, M., Killian, J.K., Stevenson, H.S., Karoly, E.D., Chan, K., Samanta, S., DaRue, P., Hsu, T.Y.T., Kurley, S.J., Putluri, V., Sonavane, R., Edelman, D.C., Wulff, J., Starks, A.M., Yang, Y., Kittles, R.A., Yfantis, H.G., Lee, D.H., Ioffe, O.B., Schiff, R., Stephens, R.M., Meltzer, P.S., Veenstra, T.D., Westbrook, T.F., Sreekumar, A., and Ambs, S. A. MYC-driven accumulation of 2-hydroxyglutarate is associated with breast cancer prognosis. J. Clin. Invest., 124: 398-412, 2014.

74. Heinecke, J.L., Ridnour, L.A., Cheng, R.Y., Switzer, C.H., Lizardo, M.M., Khanna, C., Glynn, S.A., Hussain, S.P., Young, H.A., Ambs, S., and Wink, D.A. Tumor microenvironment-based feed-forward regulation of NOS2 in breast cancer progression. Proc Natl Acad Sci USA, 111: 6323-8, 2014.
75. Wallace, T.A., Downey, R.F., Seufert, C.J., Schetter, A., Dorsey, T.M., Johnson, C.A., Goldman, R., Loffredo, C.A., Yan, P., Sullivan, F.J., Giles, F.J., Wang-Johanning, F., Ambs, S., and Glynn, S.A. Elevated HERV-K mRNA expression in PBMC is associated with a prostate cancer diagnosis particularly in older men and smokers. Carcinogenesis, 35: 2074-83, 2014.
76. Downey, R.F., Sullivan, F.J., Wang-Johanning, F., Ambs, S., Giles, F.J., and Glynn, S.A. Human endogenous retrovirus K and cancer: Innocent bystander or tumorigenic accomplice? Int. J. Cancer. 2014 May 29. doi: 10.1002/ijc.29003. [Epub ahead of print]
77. Putluri, N., Maity, S., Kommangani, R., Creighton, C.J., Putluri, V., Chen, F., Nanda, S., Bhowmik, S.K., Terunuma, A., Dorsey, T., Nardone, A., Fu, X., Shaw, C., Sarkar, T.R., Schiff, R., Lydon, J.P., O'Malley, B.W., Ambs, S., Das, G.M., Michailidis, G., Sreekumar, A. Pathway-Centric Integrative Analysis Identifies RRM2 as a Prognostic Marker in Breast Cancer Associated with Poor Survival and Tamoxifen Resistance. Neoplasia, 16: 390-402, 2014.
78. Cheng, Q., Chang, J.T., Gwin, W.R., Zhu, J., Ambs, S., Geradts, J., and Lyerly, H.K. A signature of epithelial-mesenchymal plasticity and stromal activation in primary tumor modulates late recurrence in breast cancer independent of disease subtype. Breast Cancer Res. 2014, 16:407.
79. Cheng, R.Y., Basudhar, D., Ridnour, L.A., Heinecke, J.L., Kesarwala, A.H., Glynn, S.A., Switzer, C.H., Ambs, S., Miranda, K.M., and Wink, D.A. Gene expression profiles of NO- and HNO-donor treated breast cancer cells: insights into tumor response and resistance pathways. Nitric Oxide, 43:17-28, 2014
80. Budhu, A., Terunuma, A., Zhang, G., Hussain, S.P., Ambs, S., Wang, X.W. Metabolic profiles are principally different between cancers of the liver, pancreas and breast. Int. J. Biol. Sci., 10:966-972, 2014.
81. Subramanian, M., Francis, P., Bilke, S., Li, X.L., Hara, T., Lu, X., Jones, M.F., Walker, R.L., Zhu, Y., Pineda, M., Lee, C., Varanasi, L., Yang, Y., Martinez, L.A., Luo, J., Ambs, S., Sharma, S., Wakefield, L.M., Paul S. Meltzer, P.S., and Lal, A. A mutant p53/let-7i axis regulated gene network drives cell migration, invasion and metastasis. Oncogene, 34:1094-104, 2015.

82. Mishra, P., and Ambs, S. Metabolic signatures of human breast cancer. Mol. Cell. Oncol., 8: e992217, 2015.
83. Bhowmik, S.K., Ramirez-Peña, E., Arnold, J.M., Putluri, V., Sphyris, N., Michailidis, G., Putluri, N., Ambs, S., Sreekumar, A., Mani, S.A. EMT-Induced Metabolite Signature Identifies Poor Clinical Outcome. Oncotarget. 2015 Jul 30. [Epub ahead of print]
84. Yang, Y., Jia, D., Kim, H., Abd Elmageed, Z.Y., Datta¹, A., Davis, R., Srivastav, S., Moroz, K., Crawford, B.E., Moparty, K., Thomas, R., Hudson, R.S., Ambs, S., and Abdel-Mageed, A.B. Dysregulation of microRNA-212 Promotes Castration Resistance through hnRNPH1-Mediated Regulation of AR and AR-V7: Implications for Racial Disparity of Prostate Cancer. Clin. Cancer Res. 2015 Nov 9. [Epub ahead of print]

Chapters in Books

1. Neumann, H. G., Ambs, S. and Hillesheim, W.: The biochemical basis of hepatotoxicity. In Dekant, W. and Neumann, H. G. (Eds.): Tissue-Specific Toxicity: Biochemical Mechanisms. Academic Press, London, 1992, pp. 139-162.
2. Ambs, S., Forrester, K., Lupold, S. E., Merriam, W. G., Geller, D. A., Billiar, T. R. and Harris, C. C.: Regulation of human inducible NOS2 by the tumor suppressor gene p53. In Moncada, S., Stamler, J., Gross, S. and Higgs, E. A. (Eds.): The Biology of Nitric Oxide, Part 5. Portland Press, London, 1996, pp. 7.